

Resource Use & Circular Economy

GRI Disclosure Table by Thematic Area

Standard GRI	Disclosures & Requirements	Cross - reference & Data					GRI Sector Standard	CSRD (ESRS interoperability)	GRI assurance)																																																																								
301-1	Materials used by weight or volume	<table border="1"> <thead> <tr> <th>MATERIALS</th> <th>HELLENIQ PETROLEUM S.A.</th> <th>SUBSIDIARIES</th> <th>TOTAL</th> <th>UNITS</th> <th></th> </tr> </thead> <tbody> <tr> <td>Crude Oil</td> <td>14,225,067</td> <td>0,00</td> <td>14,225,067</td> <td></td> <td></td> </tr> <tr> <td>Throughput (Crude Oil + other unit feed streams)</td> <td>17,836,458</td> <td>2,642,580.18</td> <td>20,479,038</td> <td></td> <td></td> </tr> <tr> <td>Total Products Handled (Crude Oil + other unit feed streams + other and/or semi-finished products not processed)</td> <td>20,854,949</td> <td>3,093,692</td> <td>23,948,642</td> <td>tn</td> <td></td> </tr> <tr> <td>Materials Used</td> <td>0</td> <td>0</td> <td>0</td> <td></td> <td></td> </tr> <tr> <td>Catalysts</td> <td>3,967</td> <td>0</td> <td>3,967</td> <td></td> <td></td> </tr> <tr> <td>Lubricants</td> <td>85</td> <td>0</td> <td>85</td> <td></td> <td></td> </tr> <tr> <td>Additives & Other Materials</td> <td>4,839</td> <td>999</td> <td>5,837</td> <td></td> <td></td> </tr> <tr> <td>Solvents</td> <td>823</td> <td>0</td> <td>823</td> <td></td> <td></td> </tr> <tr> <td>Packaging Materials</td> <td>0</td> <td>2,213</td> <td>2,213</td> <td></td> <td></td> </tr> <tr> <td>Materials used in hydrolic fracturing, such as hydraulic fluids, anticorrosives, acids, surfactants, anti-scaling agents, gelling agents, friction reducers, biocides, breakers, iron controllers, scale inhibitors.</td> <td>0</td> <td>0</td> <td>0</td> <td></td> <td></td> </tr> <tr> <td>Other Materials</td> <td>0</td> <td>12</td> <td>12</td> <td></td> <td></td> </tr> </tbody> </table>					MATERIALS	HELLENIQ PETROLEUM S.A.	SUBSIDIARIES	TOTAL	UNITS		Crude Oil	14,225,067	0,00	14,225,067			Throughput (Crude Oil + other unit feed streams)	17,836,458	2,642,580.18	20,479,038			Total Products Handled (Crude Oil + other unit feed streams + other and/or semi-finished products not processed)	20,854,949	3,093,692	23,948,642	tn		Materials Used	0	0	0			Catalysts	3,967	0	3,967			Lubricants	85	0	85			Additives & Other Materials	4,839	999	5,837			Solvents	823	0	823			Packaging Materials	0	2,213	2,213			Materials used in hydrolic fracturing, such as hydraulic fluids, anticorrosives, acids, surfactants, anti-scaling agents, gelling agents, friction reducers, biocides, breakers, iron controllers, scale inhibitors.	0	0	0			Other Materials	0	12	12			-	-	✓
		MATERIALS	HELLENIQ PETROLEUM S.A.	SUBSIDIARIES	TOTAL	UNITS																																																																											
		Crude Oil	14,225,067	0,00	14,225,067																																																																												
		Throughput (Crude Oil + other unit feed streams)	17,836,458	2,642,580.18	20,479,038																																																																												
		Total Products Handled (Crude Oil + other unit feed streams + other and/or semi-finished products not processed)	20,854,949	3,093,692	23,948,642	tn																																																																											
		Materials Used	0	0	0																																																																												
		Catalysts	3,967	0	3,967																																																																												
		Lubricants	85	0	85																																																																												
		Additives & Other Materials	4,839	999	5,837																																																																												
		Solvents	823	0	823																																																																												
		Packaging Materials	0	2,213	2,213																																																																												
		Materials used in hydrolic fracturing, such as hydraulic fluids, anticorrosives, acids, surfactants, anti-scaling agents, gelling agents, friction reducers, biocides, breakers, iron controllers, scale inhibitors.	0	0	0																																																																												
Other Materials	0	12	12																																																																														
301-2	Recycled input materials used	<table border="1"> <thead> <tr> <th>RECYCLABLE MATERIALS</th> <th>HELLENIQ PETROLEUM S.A.</th> <th>SUBSIDIARIES</th> <th>TOTAL</th> <th>UNITS</th> <th>COMMENTS</th> </tr> </thead> <tbody> <tr> <td>Materials used that are recycled input materials</td> <td>218,789.65</td> <td>0.00</td> <td>218,789.65</td> <td>tn</td> <td rowspan="2">Slops and import Oily sludge</td> </tr> <tr> <td>Percentage of materials used that are recycled input materials.</td> <td>1.23%</td> <td>0.00%</td> <td>1.07%</td> <td>%</td> </tr> </tbody> </table>					RECYCLABLE MATERIALS	HELLENIQ PETROLEUM S.A.	SUBSIDIARIES	TOTAL	UNITS	COMMENTS	Materials used that are recycled input materials	218,789.65	0.00	218,789.65	tn	Slops and import Oily sludge	Percentage of materials used that are recycled input materials.	1.23%	0.00%	1.07%	%	-	-																																																								
		RECYCLABLE MATERIALS	HELLENIQ PETROLEUM S.A.	SUBSIDIARIES	TOTAL	UNITS	COMMENTS																																																																										
Materials used that are recycled input materials	218,789.65	0.00	218,789.65	tn	Slops and import Oily sludge																																																																												
Percentage of materials used that are recycled input materials.	1.23%	0.00%	1.07%	%																																																																													
301-3	Reclaimed products and their packaging materials	It does not apply to petroleum products, for which we do not use packaging.					-	-																																																																									
306-1	Waste generation and significant waste-related impacts	Annual Financial Report 2025 p.137-138, p.232					11.5.2	ESRS 2 SBM-3-48 (a), (c) ii kai iv, ESRS E5 E5-4 §30																																																																									
306-2	Management of significant waste-related impacts (306-2-a and c)	Annual Financial Report 2025 p. 231, p. 233					-	-																																																																									
306-3	Waste generated	<table border="1"> <thead> <tr> <th>TOTAL SOLID WASTE WEIGHT BY WASTE CATEGORY</th> <th>HELLENIQ PETROLEUM S.A.</th> <th>EKO S.A.</th> <th>SUBSIDIARIES</th> <th>TOTAL</th> <th>UNITS</th> </tr> </thead> <tbody> <tr> <td>Total weight</td> <td>37,624.68</td> <td>2,119.25</td> <td>4,003.91</td> <td>43,747.83</td> <td rowspan="7">tn</td> </tr> <tr> <td>Hazardous (Total)</td> <td>22,416.04</td> <td>1,576.40</td> <td>708.76</td> <td>24,701.20</td> </tr> <tr> <td>Non-hazardous (Total)</td> <td>15,208.64</td> <td>542.85</td> <td>3,295.15</td> <td>19,046.64</td> </tr> <tr> <td>Total weight of waste prevented from disposal, based on disposal method (R)</td> <td>37,454.82</td> <td>807.79</td> <td>2,129.74</td> <td>40,392.34</td> </tr> <tr> <td>Reuse - hazardous</td> <td>0.00</td> <td>33.18</td> <td>47.80</td> <td>80.98</td> </tr> <tr> <td>Reuse - non-Hazardous</td> <td>0.00</td> <td>0.00</td> <td>0.00</td> <td>0.00</td> </tr> <tr> <td>Recycling - Hazardous</td> <td>14,312.79</td> <td>85.05</td> <td>509.38</td> <td>14,907.21</td> </tr> </tbody> </table>					TOTAL SOLID WASTE WEIGHT BY WASTE CATEGORY	HELLENIQ PETROLEUM S.A.	EKO S.A.	SUBSIDIARIES	TOTAL	UNITS	Total weight	37,624.68	2,119.25	4,003.91	43,747.83	tn	Hazardous (Total)	22,416.04	1,576.40	708.76	24,701.20	Non-hazardous (Total)	15,208.64	542.85	3,295.15	19,046.64	Total weight of waste prevented from disposal, based on disposal method (R)	37,454.82	807.79	2,129.74	40,392.34	Reuse - hazardous	0.00	33.18	47.80	80.98	Reuse - non-Hazardous	0.00	0.00	0.00	0.00	Recycling - Hazardous	14,312.79	85.05	509.38	14,907.21	11.5.4 & 11.8.2	ESRS E5 E5-5 §37 (a)-38																															
		TOTAL SOLID WASTE WEIGHT BY WASTE CATEGORY	HELLENIQ PETROLEUM S.A.	EKO S.A.	SUBSIDIARIES	TOTAL	UNITS																																																																										
		Total weight	37,624.68	2,119.25	4,003.91	43,747.83	tn																																																																										
		Hazardous (Total)	22,416.04	1,576.40	708.76	24,701.20																																																																											
		Non-hazardous (Total)	15,208.64	542.85	3,295.15	19,046.64																																																																											
		Total weight of waste prevented from disposal, based on disposal method (R)	37,454.82	807.79	2,129.74	40,392.34																																																																											
		Reuse - hazardous	0.00	33.18	47.80	80.98																																																																											
Reuse - non-Hazardous	0.00	0.00	0.00	0.00																																																																													
Recycling - Hazardous	14,312.79	85.05	509.38	14,907.21																																																																													

Recycling - non-Hazardous	5,939.49	539.17	1,550.47	8,029.12
Recovery - Hazardous	8,062.08	146.71	11.88	8,220.67
Recovery - non-Hazardous	9,140.46	3.68	10.21	9,154.35
Total weight of waste destined for final disposal, by disposal method (D)	169.86	1,311.46	1,874.17	3,355.49
Incineration - Hazardous	0.04	0.00	103.32	103.36
Incineration - non-Hazardous	0.00	0.00	5.73	5.73
Final disposal (e.g. landfill, thermal desorption, etc.) - Hazardous	41.13	0.51	6.70	48.34
Final disposal (e.g. landfill, thermal desorption, etc.) - non-Hazardous	128.69	0.00	1,600.08	1,728.77
Other ways of disposal (hazardous)	0.00	1,310.95	29.68	1,340.63
Other means of disposal (non-Hazardous)	0.00	0.00	128.67	128.67

Comments

- On-site management (within the facility) is the priority. If this is not feasible, waste is managed by specialized waste management companies. The management method is selected in accordance with Article 4 of European Directive 2008/98/EC "Waste Hierarchy."
- (R) - Waste prevented from final disposal based on the disposal method - Reuse, Recycling, and Recovery.
- (D) Waste sent for final disposal either through thermal treatment, landfills, waste-to-energy plants, etc.

HAZARDOUS WASTE	HELLENIQ PETROLEUM S.A.	EKO S.A.	SUBSIDIARIES	TOTAL
Total (tn)	22,416.0	1,576.4	708.8	24,701.2
Category 01	0.0	0.0	0.0	0.0
Category 02	0.0	0.0	0.0	0.0
Category 03	0.0	0.0	0.0	0.0
Category 04	0.0	0.0	0.0	0.0
Category 05	523.1	0.0	0.0	523.1
Category 06	7,101.7	0.0	0.0	7,101.7
Category 07	0.0	0.0	0.0	0.0
Category 08	0.0	0.0	0.1	0.1
Category 09	0.0	0.0	0.0	0.0
Category 10	0.6	0.0	0.0	0.6
Category 11	0.0	0.2	0.0	0.2
Category 12	13.7	21.3	0.0	35.0
Category 13	0.0	0.0	0.0	0.0
Category 14	685.0	14.8	9.6	709.4
Category 15	8,824.3	143.5	95.9	9,063.7
Category 16	2,824.7	2.0	0.0	2,826.7
Category 17	0.0	0.0	0.0	0.0
Category 18	1,172.1	0.0	0.0	1,172.1
Category 19	5.7	0.0	7.7	13.5
Category 20	0.0	0.0	0.0	0.0

NON-HAZARDOUS WASTE	HELLENIQ PETROLEUM S.A.	EKO S.A.	SUBSIDIARIES	TOTAL
Total (tn)	15,208.6	542.9	3,295.2	19,046.6
Category 01	0.0	0.0	0.0	0.0
Category 02	45.9	0.0	0.0	45.9
Category 03	0.0	0.0	0.0	0.0
Category 04	0.0	0.0	0.0	0.0
Category 05	350.3	0.0	0.0	350.3
Category 06	0.0	0.0	0.0	0.0
Category 07	161.0	0.0	801.2	962.3
Category 08	0.0	0.0	0.3	0.3
Category 09	0.0	0.0	0.0	0.0
Category 10	0.0	0.0	0.0	0.0

		R -Non-Hazardous Waste diverted from disposal	HELLENIQ PETROLEUM S.A.	EKO S.A.	SUBSIDIARIES	TOTAL						
		Total (tn)	15,079.9	542.9	1,560.7	17,183.5						
		Category 01	0.0	0.0	0.0	0.0						
		Category 02	45.9	0.0	0.0	45.9						
		Category 03	0.0	0.0	0.0	0.0						
		Category 04	0.0	0.0	0.0	0.0						
		Category 05	350.3	0.0	0.0	350.3						
		Category 06	0.0	0.0	0.0	0.0						
		Category 07	161.0	0.0	801.2	962.3						
		Category 08	0.0	0.0	0.0	0.0						
		Category 09	0.0	0.0	0.0	0.0						
		Category 10	0.0	0.0	0.0	0.0						
		Category 11	0.0	0.0	0.0	0.0						
		Category 12	250.9	0.0	0.0	250.9						
		Category 13	0.0	0.0	0.0	0.0						
		Category 14	0.0	0.0	0.0	0.0						
		Category 15	2,182.5	378.3	128.4	2,689.2						
		Category 16	3,129.7	0.0	0.0	3,129.7						
		Category 17	8,530.9	123.1	301.7	8,955.7						
		Category 18	0.0	0.0	0.0	0.0						
		Category 19	219.3	0.0	42.5	261.8						
		Category 20	209.4	41.5	286.8	537.7						
		**For EKO Serbia, Bulgaria and Jugopetrol, when calculating the amount of non-hazardous waste, an estimate is used according to the density of the 1m3 bin and the frequency of its collection by the respective waste manager.										
306-5	Waste directed to disposal (306-5-a, b, c, e)	D - Hazardous Waste directed to disposal	HELLENIQ PETROLEUM S.A.	EKO S.A.	SUBSIDIARIES	TOTAL	11.5.6	ESRS E5 E5-5-37 (c), 38				
		Total (tn)	41.2	1,311.5	139.6	1,492.3						
		Category 01	0.0	0.0	0.0	0.0						
		Category 02	0.0	0.0	0.0	0.0						
		Category 03	0.0	0.0	0.0	0.0						
		Category 04	0.0	0.0	0.0	0.0						
		Category 05	0.0	0.0	0.0	0.0						
		Category 06	0.0	0.0	0.0	0.0						
		Category 07	0.0	0.0	0.0	0.0						
		Category 08	0.0	0.0	0.1	0.1						
		Category 09	0.0	0.0	0.0	0.0						
		Category 10	0.0	0.0	0.0	0.0						
		Category 11	0.0	0.0	0.0	0.0						
		Category 12	0.0	0.0	0.0	0.0						
		Category 13	0.0	1,311.0	130.9	1,441.8						
		Category 14	0.0	0.0	0.0	0.0						
		Category 15	0.0	0.0	4.5	4.5						
		Category 16	0.7	0.0	3.7	4.3						
		Category 17	40.5	0.5	0.1	41.1						
		Category 18	0.0	0.0	0.0	0.0						
		Category 19	0.0	0.0	0.0	0.0						
		Category 20	0.0	0.0	0.5	0.5						
				D - Non-Hazardous Waste directed to disposal	HELLENIQ PETROLEUM S.A.	EKO S.A.			SUBSIDIARIES	TOTAL		
				Total (tn)	128.7	0.0			1,734.5	1,863.2		
				Category 01	0.0	0.0			0.0	0.0		
				Category 02	0.0	0.0			0.0	0.0		
		Category 03	0.0	0.0	0.0	0.0						
		Category 04	0.0	0.0	0.0	0.0						

	Category 05	0.0	0.0	0.0	0.0			
	Category 06	0.0	0.0	0.0	0.0			
	Category 07	0.0	0.0	0.0	0.0			
	Category 08	0.0	0.0	0.3	0.3			
	Category 09	0.0	0.0	0.0	0.0			
	Category 10	0.0	0.0	0.0	0.0			
	Category 11	0.0	0.0	0.0	0.0			
	Category 12	0.0	0.0	13.9	13.9			
	Category 13	0.0	0.0	0.0	0.0			
	Category 14	0.0	0.0	0.0	0.0			
	Category 15	84.1	0.0	20.9	105.0			
	Category 16	0.0	0.0	17.9	17.9			
	Category 17	0.0	0.0	32.4	32.4			
	Category 18	0.0	0.0	0.0	0.0			
	Category 19	0.0	0.0	40.6	40.6			
	Category 20	44.6	0.0	1,608.5	1,653.0			